FIELD NOTES	
OF THE SURVEY OF THE MINING CLAIM OF	
W.R.GLORE	
KNOWN AS THE	
INFIDEL lode	
Black Rock Mining District,	
YAVAPAI County, ARIZONA	
Section s 6 & 7 , Township 8 N. , Range 3 W.	
Surveyed under instructions dated Nov.14, 19 39	
By Edgar S. Dorman.	
U. S. Mineral Surveyor, G.	1.0.
Claim located Oct. 20, , 1939	
Survey commenced Nov. 14 , 1939	
Survey completed Nov. 17 , 19 39	
Address of claimant 1928 W. 39th St. Los Angeles, Calif.	
DATES OF AMENDED LOCATIONS	
U 8. GOVERNMENT PRINTING OFFICE: 1997	

Feet.

Mineral Survey No. 4227 was made with a Buff and Buff Transit No. 7674, with a horizontal limb 6.0 ins. diam., having two double opposite verniers, and vertical arc 4.5 ins. diam., having one double vernier; the verniers read to one minute of arc. The instrument was in good condition at the time of the survey and all adjustments were in good order.

A p.m. observation on Polaris for azimuth was made at the point of beginning, the details of which are shown in the calculation sheets herewith submitted for examination.

All azimuths in this record are referred to the true meridian thus determined, by the method of deflection angles and calculated courses.

The lines were measured with a Dietzgen steel tape 300 feet in length, graduated to feet and the end feet graduated to tenths and hundredths; which was compared with a standard steel tape at the time of beginning the survey, and found correct.

All lines and connections of this survey were run by direct methods where the ximes are xerestable x the ximes are ximes are ximes and the ximes are ximes are ximes and ximes are ximes are ximes and ximes are ximes a

The magnetic variation observed at each corner of the survey gave a uniform value of 14°45'E.

### INFIDEL LODE.

Beginning at Cor. No.1 of the INFIDEL lode, where I-

Set a redwood post, 42 ins. long, 4 ins. sq., 24 ins. in the ground, and in a mound of stone, for Cor. No.1, marked 1-IN on S. face and 4227 on W. face; from which

The 1 Sec. Cor. of Secs. 6 & 7. XXXXXX, T.8 N., R.3W., G.& S.R.Mer., bears S.45 46 W., 392.11 ft. dist; a 3/4 in. pipe, with brass cap, stamped 4 on N. edge and S-7 on S. edge, set in mound of stone 18 ins. high and 3 ft. base.

A corner of the location bears East 250 ft. dist.

No local bearing objects or bearing trees available.

#### Thence South.

300.0 To E. end center. E.E.center of location is a mound of stone 3 ft. base, 18 ins. high, and bears East 250 ft. dist. 600.0 Cor. No. 2.

Set a redwood post, 42 ins. long, 4 ins. square., 24 ins in the ground, and in a mound of stone, for Cor. No.2, marked 2-IN on N. face and 4227 on W. face; from which

A corner of the location bears East 250 ft. dist.

No local bearing objects or bearing trees available.

Thence West.

144.0 Trail, course N.10 W. 865.0 Cor. No.3.

Set a redwood post, 42 ins. long, 4 ins. sq., 24 ins. in the ground, and in a mound of stone, for Cor. No.3, mkd. 3-IN on E. face and 4227 on N. face; from which

A corner of the location bears West 385 ft. dist.

No local bearing objects or bearing trees available.

Thence North

300.0 To W. end center. W.E.center of the location is a mound of stone 3 ft. base, 12 ft. high, and bears West 385 ft. dist. Vermen, the verme 498.0 Dry wash, course northeast

600.0 Cor. No. 4.

Set a redwood post, 42 ins. long, 4 ins. sq., 24 ins. in the ground, and in a mound of stone, for Cor. No.4, mkd. 4-IN on E.face and 4227 on S. face, from which

observation on Polaris for actuation

A corner of the location bears West 385 ft. dist.

No local bearing objects or bearing trees available.

Thence East. 18 345 Western 1901

3Q.0 Dry wash, course N.25 E.

865.0 Cor. No. 1, and place of beginning.

LODE LINES 1 1 90184 121

The presumed course of the vein of each of the locations embraced in this survey, counted from point of discovery, is as fellows;

Infidel Lode, East 500 ft.; and West 365 ft.

MI . SHI A . . PE . CAL A AREAS . . EMI AL . Jack boomber & Je2

Total Area, Infidel Lode-

\_\_\_\_11.915 Acres.

## LOCATION DOC 10 . TOO . DEE

This survey is located in Lot 6 and the  $SW_{\frac{1}{4}}$  of  $SE_{\frac{1}{4}}$  of Section 6; and Lot 1 and the  $NW_{\frac{1}{4}}$  of  $NE_{\frac{1}{4}}$  of Section 7; T.8 N., R.3 W., G.& S.R.M.

### EXPENDITURE OF \$500

I certify that the value of the labor and improvements made upon or for the benefit of the Infidel lode, (embraced in said mining elaim,) by the claimant or his grantors is not less than \$500, and that said improvements consist of;

- The discovery shaft, the center of which bears S.59 02 W.,583.11 ft., from Cor. No.1; 6 X 6 ft. in size, 12 feet deep. Value, \$180.
- A tunnel 4 X 6 ft. in size, the portal of which bears S.64 10 W., 582.5 ft. from Cor. No.1, and runs thence S.9 E., 38 ft., thence S.3 W., 35 ft., thence S.1 E., 23 ft. to breast. No.2 Value, \$770.
- A turnel, 4 X 6 ft. in size, the portal of which bears S.57 39 W., 530.8 ft. from Cor. No. 1, and runs S.29 W., 20 ft., thence S.57 W., 30 ft., thence S.17 W., 30 ft., thence N.83 W., 17 ft., thence N.3 W., 10 ft. to breast. Value, \$ 850.

### OTHER IMPROVEMENTS. From the court of stone for for for the sone to enough

Note: The dafference between the length of this claim as surveyedand as located is due to the desire of the claimant. The reduction in the length of this claim from the location was made in accordance with the desire of the claimant.

## UNITED STATES DEPARTMENT OF THE INTERIOR GENERAL LAND OFFICE

## FINAL OATHS FOR SURVEYS

### LIST OF NAMES

A list of the names of the	individuals employed byFdgar S. Dorman.
Mineral Surveyor, to assist in	running, measuring, and marking the lines, corners, and boundaries
described in the foregoing field	notes of the survey of the mining claim of
	W.R.Glore
	INFIDEL lode
and showing the respective capa	
	Thomas Leeke , Chainman.
	, Chainman.
	, Axman.
	, Flagman.
F	INAL OATHS OF ASSISTANTS
We, I, Thomas Leek	re I
and	, do solemnly swear that we assistedEdgar S.
	, United States Mineral Surveyor, in marking the corners and surveying
	im of W.R. GLORE
	IDEL lode
	ld notes as having been surveyed by said mineral surveyor and under his
	has been in all respects, to the best of our knowledge and belief, faithfully
	e corner and boundary monuments established according to law and the
instructions furnished by the Of	Phoenix. Arizona
mstructions furnished by the Or	fice Cadastral Engineer, at Phoenix, Arizona
	Thomas Leeky, Chainman.
	, Chainman.
	, Axman.
	Flagman.
Subscribed a	and sworn to by the above-named persons before me this
	November, 1939
	( Prowers
	NOTARY PUBLIC In and for the County of Los Angeles, State of California
6—1048 E. B. ROYERSHIELT PRINTING OFFICE	My Commission Lapires July 25, 1943

## DEPARTMENT OF THE INTERIOR GENERAL LAND OFFICE

### FINAL OATH OF U.S. MINERAL SURVEYOR, G.L.O.

I, Edgar S. Dorman	, <del>U. S.</del> Mineral Surveyor, G.L.O.
do solemnly swear that, in pursuance	of instructions received from the Office Cadastral
Engineer, at Phoenix, Arizona	, dated Nov. 14, 1939
I have, in strict conformity to the	laws of the United States, the official regulations
and instructions thereunder, and th	ne instructions of said Office Cadastral Engineer,
faithfully and correctly executed th	e survey of the mining claim of
W.R.Glore	known as the
INFI	DEL lode
situate in	Black Rock Mining District,
YAVAPAI	County, Arizona , in Section S
6. & 7 , Township No. 8. N.	, Range No. 3.W.
and designated as Survey No. 4227	, as represented
in the foregoing field notes, which	accurately show the boundaries of said mining claim
as distinctly marked by monuments or	the ground, and described in the attached copy of
the location certificate, which was	received by me from the Office Cadastral Engineer
with said instructions, and that all	l corners of said survey have been established and
perpetuated in strict accordance wi	th the law, official regulations and instructions
thereunder; and I do further solemnly	y swear that the foregoing are the true and original
field notes of said survey and my r	eport therein, and that the labor expended and im-
provements made upon said mining cla	im by claimant or his
grantors are as therein fully state	ed, and that the character, extent, location, and
itemized value thereof are specifie	d therein with particularity and full detail, and
that no portion of said labor or im	provements so credited to this claim has been in-
cluded in the estimate of expenditur	es upon any other claim.
	E, E Dan
	( <del>U.S.</del> Mineral Surveyor) G.L.O.
Subscribed and sworn to by the said	
U.S. Mineral Surveyor, before me	C.E. Bowers.
	2016
day of November, 1939	
	Cowers.
	NOTARY PUBLIC
	My Commission Lapires July 25, 1943

### OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

## United States Department of the Interior general land office

PUBLIC SURVEY OFFICE

		Phoenix, Arizona	
		February 21	, 19 <u>_4</u> 0
I, Office Cadastral	Engineer, at Phoens	x, Arizona	
do hereby certify that t	he foregoing transcript (	of the Field Notes, return and approva	l of the survey
of the mining claim of -			
		lore	
known as the	DIFIDEL	lode	***********
situate in	Black R	ook	
Mining District	Yavupa1	County Ariz	ons
in Sections 6 & 7	, Township No. 8 1	Range No. 3 W. GASTM	, and
designated as Survey N	o. <u>4227</u> ,	has been correctly copied from the orig	ginals on file in
this office; that said Fie	old Notes furnish such a	n accurate description of said mining o	claim as will, if
incorporated into a pater	at, serve fully to identify	the premises, and that such reference is	s made therein
to natural objects or pe	rmanent monuments as	will perpetuate and fix the locus then	reof.
I further certify tha	t Five Hundred Dollar	s worth of labor has been expended or	improvements
made upon, or for the	benefit of, each loca	tion embraced in said mining claim	n by claimant
	or	bia	grantors,
and that said improvem	ents consist of 1 shaf	t and 2 tunnels, total value	\$1800.
			••••
	••••		
and that no portion of sa	aid labor or improvemen	nts has been included in the estimate of	f expenditures
upon any other claim.			
I further certify tha	t the plat thereof, filed	in the District Land Office at _Phoe	mix,
Arizona	is correct and in	conformity with the foregoing Field	Notes.
		Sherman C. Fiske	-
		Office Cadastro	al Engineer

### CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

### UNITED STATES DEPARTMENT OF THE INTERIOR GENERAL LAND OFFICE

PUBLIC SURVEY OFFICE

	At Phoenix, Arizona,		
		February 2L , 19	40
I, Office Cadastral Enginee	r at Phoenix, Arizo	ona,	
do hereby certify that the foreg	oing and hereto attached F	field Notes and Return of the Survey of	the
Mining Claim of			
	W. R. Glore		
		, known as	the
	INFIDEL lode	9	
situate in	Black Rock	mining distri	ict,
Yavapai C	ounty,	Arizona	
in Sections 6 & 7	, Township No	8 N., Range No. 3 V., G	& S.R.
, designate	d as Survey No	4227	
executed by	Edgar S. Dorman	, Mine	oral
Surveyor, November 14 -	17	, 1939, under my instructions dat	ted
November 14	, 139 , have	been critically examined and the necessar	ary
corrections and explanations ma	de, and the said Field Note	s and Return, and the Survey they descri	be,
are hereby approved. The cert	ified copy of the location ce	ertificate filed by the applicant for survey	' is
on file in this office and a true	copy of said certified copy	of said location certificate is included a	nd
made a part of the transcript of	the field notes.		
	Sh	orman & Fishe	
6—7181 H. S. COTTONNENT	PRINTING OFFICE	Office Cadastral Engineer	•

6-7181 U. S. GOVERNMENT PRINTING OFFICE

# UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956) BUREAU OF LAND MANAGEMENT M.S. 4227 ARIZONA STATE OFFICE

#### NOTICE OF CANCELLATION OF MINERAL SURVEY

The INFIDEL lode, Mineral Survey No. 4227, located in sections 6 and 7, Township 8 North, Range 3 West, Gila and Salt River Meridian, Arizona, is hereby canceled.

This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"INFIDEL lode, M.S. 4227, was canceled April 16, 2002, by memo 9605 (956) M.S. 4227, which is now a part of the original field notes."

April 16, 2002

Date

Chief Cadastral Surveyor of Arizona